

RCE of U.S. Serial No.: 09/174,937

-5-

Group Art Unit: 1653

amend the specification as originally filed to include the ATCC Deposit information for these molecules prior to issuance of the application.

The examiner had also objected to the incorporation of embedded hyperlinks and/or other forms of browser-executable code in the specification. All references to browser executable code have been removed by the amendments presented herein.

In the Advisory Action, the Examiner objected to the changes at page 29 since "no paragraph starts at line 29." Applicants respectfully submit that the amendments presented herein reflect the correct page and line numbers in the specification.

In view of all the foregoing, Applicants respectfully request that the Examiner reconsider and withdraw the objections to the specification.

#### ***Incorporation by Reference of Various Scientific Publications***

In the Final Office Action, the Examiner objected to the incorporation by reference of various scientific publications throughout the specification. The Examiner states that

[t]he attempt to incorporate subject matter in to this application (e.g., page 10, lines 19-24, page 11, lines 27-29) by reference to published journal articles remains improper because only issued or published U.S. applications may be properly be [sic] incorporated by reference.

Applicants respectfully submit that non-essential subject matter from a non-patent publication may be incorporated by reference in a patent application. Specifically, the M.P.E.P. provides that

***[n]onessential subject matter*** may be incorporated by reference to (1) patents or applications published by the United States or foreign countries or regional patent offices, (2) prior filed, commonly owned U.S. applications, or (3) ***non-patent publications*** however, hyperlinks and/or other forms of browser executable code cannot be incorporated by reference. Nonessential subject matter is subject matter referred to for purposes of indicating the background of the invention or illustrating the state of the art. M.P.E.P. (8<sup>th</sup> Edition) §608.01(p)

RCE of U.S. Serial No.: 09/174,937

-6-

Group Art Unit: 1653

The Trump *et al.* and Lee *et al.* references appearing at page 11, lines 27-29 of the specification and the Sonhammer *et al.*, Gribskov *et al.*, Gribskov *et al.*, Krogh *et al.*, and Stultz *et al.* references appearing at page 10, lines 19-24 of the specification, and specifically objected to by the Examiner, disclose nonessential subject matter (*i.e.*, subject matter referred to for the purpose of indicating the background of the invention or illustrating the state of the art). Thus, pursuant to M.P.E.P. §608.01(p) these non-patent publications may be incorporated by reference into Applicants' specification.

Accordingly, Applicants respectfully request that the Examiner reconsider and withdraw the foregoing objection.

***Claims 1-2, 4-5, 8-12, 29-39, and 40-41 Are Supported By a Well Established Utility***

The Examiner has rejected claims 1-2, 4-5, 8-12, 29-39, and 40-41 under 35 U.S.C. § 101 because, according to the Examiner, "the claimed invention is not supported by either a specific and substantial utility or a well established utility." In particular, the Examiner is of the opinion that

[a]ll function of the encoded proteins is by inference; no information is provided that the instant genes & constructs do indeed regulate apoptosis under any conditions. A starting material that can only be used to produce a final product does not have a substantial asserted utility in those instances where the final product is not supported by a specific and substantial utility. In this case none of the proteins that are to be produced as final products resulting from processes involving the claimed cDNA have asserted or identified specific and substantial utilities. The research contemplated by Applicants to characterize potential protein products, especially their biological activities, does not constitute a specific and substantial utility. Identifying and studying the properties of the protein itself or the mechanisms in which the protein is involved does not define a "real world" context of use. Neither the specification as filed nor any art of record discloses or suggests any property or activity for the cDNA compounds such that another non-asserted utility would be well established for the compounds.

RCE of U.S. Serial No.: 09/177,937

-7-

Group Art Unit: 1653

The Examiner further argues that "[n]o specific properties of the claimed protein are discussed, nor are there any specific diseases discussed which can be treated by administration of the protein."

Applicants respectfully traverse the foregoing rejection for the following reasons. Applicants respectfully submit that a specific and substantial utility has clearly been set forth in the instant specification that would have been credible to one of skill in the art at the time of invention. Contrary to the Examiner's assertions, specific properties of the NIP polypeptide are discussed and specific diseases which may be treated by the administration of the NIP molecules are disclosed in the instant specification. Specifically, the present specification teaches that the NIP molecules of the present invention play a role in apoptosis and that, therefore, these molecules provide novel diagnostic targets and therapeutic agents for disorders characterized by deregulated programmed cell death such as Alzheimer's disease, dementias related to Alzheimer's disease (such as Pick's disease), Parkinson's and other Lewy diffuse body diseases, multiple sclerosis, amyotrophic lateral sclerosis, progressive supranuclear palsy, epilepsy, Jakob-Creutzfeldt disease, or AIDS related dementias; ischemic injury, *e.g.*, myocardial infarction, stroke, or reperfusion injury; or proliferative disorders, *e.g.*, cancer (see page 12, lines 1-5 of the specification). It is evident, based on Applicants' disclosure of the properties of the NIP2 molecules of the present invention and the knowledge of one skill in the art, that a specific, substantial, and credible utility was immediately apparent for the present invention: *the use of the claimed invention to modulate apoptosis.*

The Examiner also argues that

[b]ecause the art is cognizant that structural similarities in cloned genes or their encoded proteins do not *a priori* indicate functional similarities (see, *e.g.*, Doerks, et al., Smith et al., Brenner et al., and Bork, et al.), further doubt is cast upon the utility and function of these disclosed sequences. Special attention is given to Brenner, (page 132, column 2, lines 28-33) in that sequence homology does not necessarily equate with function.

RCE of U.S. Serial No.: 09/174,937

-8-

Group Art Unit: 1653

Applicants respectfully submit that while examples exist of polypeptide families wherein individual members have distinct, even opposite, biological activities, growing databases and improved search techniques, particularly the iterated PSI-BLAST tool, has yielded substantial improvement in secondary structure prediction accuracy. According to Rost, a copy of which is submitted herewith as Appendix B, "[s]econdary structure predictions are increasingly becoming the work horse for numerous methods aimed at predicting protein structure and function."

Burkhard Rost, *Review: Protein Secondary Structure prediction Continues to Rise* (2001) J. Structural Biology 134: 204-218.

Moreover, as the Examiner is aware, the applicant does not have to provide evidence sufficient to establish that an asserted utility is true "beyond reasonable doubt." *In re Irons*, 340 F.2d 974, 978, 144 USPQ 351, 354 (CCPA 1965). "Instead, evidence will be sufficient, if considered as a whole, it leads a person of ordinary skill in the art to conclude that the asserted utility is more likely than not true." M.P.E.P. §2164.07. Based on the ample teachings in Applicants' specification regarding the role and importance of NIP molecules in apoptosis, Applicants respectfully submit that a person of ordinary skill in the art would conclude that Applicants' asserted utility is more likely than not true, which is all that is required under 35 U.S.C. §101.

As indicated by Rost (*supra*) "[s]tate-of-the-art methods now reach sustained levels of 76% [function] prediction accuracy." Applicants have utilized these state-of-the-art methods to assess protein function and have demonstrated that the asserted utility is "more likely than not true."

In view of the foregoing, it is evident that Applicants' invention has a specific, substantial, and credible utility that would have been readily apparent to one of skill in the art. Accordingly, Applicants respectfully request that the Examiner reconsider and withdraw the foregoing section 101 rejection of claims 1-2, 4-5, 8-12, 29-39, and 40-41.

RCE of U.S. Serial No.: 09/174,937

-9-

Group Art Unit: 1653

***One Skilled in the Art Would Know How to Use the Invention  
of Claims 1-2, 4-5, 8-12, 29-39, and 40-41***

The Examiner had rejected claims 1-2, 4-5, 8-12, 29-39, and 40-41 under 35 U.S.C. §112, first paragraph because, according to the Examiner, "since the claimed invention is not supported by either a specific and substantial utility or a well established utility for the reasons set forth above, one skilled in the art clearly would not know how to use the claimed invention."

Applicants respectfully traverse the foregoing rejection because, as indicated above, the claimed invention has a well established utility and, thus, one of skill in the art would know how to use the claimed invention. Moreover, Applicants' specification discloses *ample* guidance as to how one of skill in the art would use the claimed invention (see, for example, the screening assays, the diagnostic assays, the prognostic assays, and the methods of treatment, *e.g.*, therapeutic and prophylactic, taught by Applicants at page 47, line 28, through page 71, line 29 of the specification).

In view of the foregoing, Applicants respectfully request that the Examiner reconsider and withdraw the foregoing section 112, first paragraph rejection.

RCE of U.S. Serial No.: 09/144,937  
1653


-10-

Group Art Unit:

*Conclusion*

On the basis of the foregoing amendments and remarks, Applicants respectfully submit that the pending claims are in condition for allowance. If a telephone conversation with Applicants' Attorney would expedite prosecution of the above-identified application, the Examiner is urged to call the undersigned at (617) 227-7400.

Respectfully submitted,



Maria Laccotripe Zacharakis, Ph.D.  
Attorney for Applicants  
Limited Recognition Under 37 C.F.R. §10.9(b)

LAHIVE & COCKFIELD, LLP  
28 State Street  
Boston, MA 02109  
Tel. (617) 227-7400

Dated: August 23, 2002

RCE of U.S. Serial No.: 09/179,937  
1653

-11-

Group Art Unit:

**VERSION WITH MARKINGS TO SHOW CHANGES MADE**

Page 10, lines 3-10:

In another embodiment, a NIP2b, NIP2cL, and NIP2cS of the present invention is identified based on the presence of a "calcium-binding domain" in the protein or corresponding nucleic acid molecule. As used herein, the term "calcium-binding domain" includes a protein domain having an amino acid sequence of about 110 amino acids which has the capacity to bind calcium. Preferably, a calcium binding domain includes a protein domain which is at least 50, 60, 70, 80, 90, or 100 amino acid residues in length and which has the capacity to bind calcium. The calcium-binding domain HMM has been assigned the PFAM Accession MILPAT0063 (<http://genome.wustl.edu/Pfam/WWWdata/EGF.html>) (Bateman, A., et al (2000) NAR 28: 263-266).

Page 10, lines 11-28:

To identify the presence of a calcium-binding domain in a NIP2b, NIP2cL, or NIP2cS protein, and make the determination that a protein of interest has a particular profile, the amino acid sequence of the protein is searched against a database of HMMs (e.g., the Pfam database, release 2.1) using the default parameters ([http://www.sanger.ac.uk/Software/Pfam/HMM\\_search](http://www.sanger.ac.uk/Software/Pfam/HMM_search)) (Bateman, A., et al (2000) NAR 28: 263-266). For example, the hmmsf program, which is available as part of the HMMER package of search programs, is a family specific default program for MILPAT0063 and a score of 15 is the default threshold score for determining a hit. Alternatively, the threshold score for determining a hit can be lowered (e.g., to 8 bits). A description of the Pfam database can be found in Sonhammer *et al.* (1997) *Proteins* 28(3)405-420 and a detailed description of HMMs can be found, for example, in Gribskov *et al.* (1990) *Meth. Enzymol.* 183:146-159; Gribskov *et al.* (1987) *Proc. Natl. Acad. Sci. USA* 84:4355-4358; Krogh *et al.* (1994) *J. Mol. Biol.* 235:1501-1531; and Stultz *et al.* (1993) *Protein Sci.* 2:305-314, the contents of which are incorporated herein by reference. A search was performed against the HMM database resulting in the identification of a calcium-binding domain in the amino acid sequence of NIP2cL (SEQ ID NO: 5) at about residues 55-160 of SEQ ID NO:5 and NIP2cS (SEQ ID NO:8) at about residues 59-96 of SEQ ID NO:8. The results of the searches are set forth in Figures 8 and 9, respectively.

Page 10, line 33 through page 11, line 11:

RCE of U.S. Serial No.: 09/174,937  
1653

-12-

Group Art Unit:

In another embodiment, a NIP2b, NIP2cL, and NIP2cS of the present invention is identified based on the presence of a "4 transmembrane segment integral membrane protein domain" in the protein or corresponding nucleic acid molecule. As used herein, the term "4 transmembrane segment integral membrane protein domain" includes a protein domain having an amino acid sequence of about 50 amino acid residues and having a bit score for the alignment of the sequence to the "4 transmembrane segment integral membrane protein domain" (HMM) of at least 1 or greater. Preferably the term "4 transmembrane segment integral membrane protein domain" includes a protein domain having an amino acid sequence of about 60, 70, 80, or 90 amino acids and having a bit score for the alignment of the sequence to the "4 transmembrane segment integral membrane protein domain" (HMM) of at least 2, preferably 3-10, more preferably 10-30, more preferably 30-50, even more preferably 50-75, 75-100, 100-200 or greater. The "4 transmembrane segment integral membrane protein domain" HMM has been assigned the PFAM Accession PF00335 (<http://genome.wustl.edu/Pfam/WWWdata/EGF.html>) (Bateman, A., et al (2000) NAR 28: 263-266). A search was performed against the HMM database, as described herein, resulting in the identification of a "4 transmembrane segment integral membrane protein domain" in the amino acid sequence of NIP2b (SEQ ID NO:2) at about residues 253 to 293. The results of the search are set forth in Figure 7.

Page 28, lines 20-33:

The comparison of sequences and determination of percent identity between two sequences can be accomplished using a mathematical algorithm. In a preferred embodiment, the percent identity between two amino acid sequences is determined using the Needleman and Wunsch (*J. Mol. Biol.* (48):444-453 (1970)) algorithm which has been incorporated into the GAP program in the GCG software package (~~available at <http://www.gcg.com>~~)(available from Accelrys, Inc., San Diego, CA), using either a Blossum 62 matrix or a PAM250 matrix, and a gap weight of 16, 14, 12, 10, 8, 6, or 4 and a length weight of 1, 2, 3, 4, 5, or 6. In yet another preferred embodiment, the percent identity between two nucleotide sequences is determined using the GAP program in the GCG software package (~~available at <http://www.gcg.com>~~)(available from Accelrys, Inc., San Diego, CA), using a NWSgapdna.CMP matrix and a gap weight of 40, 50, 60, 70, or 80 and a length weight of 1, 2, 3, 4, 5, or 6. In another embodiment, the percent identity between two amino acid or nucleotide sequences is determined using the algorithm of E. Meyers and W. Miller (CABIOS, 4:11-17 (1989)) which has been incorporated into the ALIGN program (version 2.0), using a PAM120 weight residue table, a gap length penalty of 12 and a gap penalty of 4.

Page 28 line 3 through page 29, line 8:



RCE of U.S. Serial No.: 09/174,937  
1653

-13-

Group Art Unit:

The nucleic acid and protein sequences of the present invention can further be used as a "query sequence" to perform a search against public databases to, for example, identify other family members or related sequences. Such searches can be performed using the NBLAST and XBLAST programs (version 2.0) of Altschul, et al. (1990) *J. Mol. Biol.* 215:403-10. BLAST nucleotide searches can be performed with the NBLAST program, score = 100, wordlength = 12 to obtain nucleotide sequences homologous to NIP2b, NIP2cL, and NIP2cS nucleic acid molecules of the invention. BLAST protein searches can be performed with the XBLAST program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to NIP2b, NIP2cL, and NIP2cS protein molecules of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul et al., (1997) *Nucleic Acids Res.* 25(17):3389-3402. When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (e.g., XBLAST and NBLAST) can be used. See <http://www.ncbi.nlm.nih.gov>. (Altschul, S.F., et al. (1990) *J. Mol. Biol.* 215:403-410; Altschul, S.F., et al. (1997) *Nucleic Acids Res.* 25:3389-3402).

### APPENDIX A

1. An isolated nucleic acid molecule comprising the nucleotide sequence set forth in SEQ ID NO:1 or a complement thereof.
2. An isolated nucleic acid molecule comprising a nucleotide sequence which encodes a polypeptide comprising the amino acid sequence set forth in SEQ ID NO: 2, or a complement thereof.
4. An isolated nucleic acid molecule comprising a nucleotide sequence which encodes a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence set forth in SEQ ID NO: 2, wherein the nucleic acid molecule hybridizes to a nucleic acid molecule consisting of SEQ ID NO:1 or 3 in 6X SSC at 45° C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 50-65° C.
5. An isolated nucleic acid molecule comprising a nucleotide sequence which is at least 59% identical to the nucleotide sequence of SEQ ID NO:1, 3, 4, 6, 7, or 9, or a complement thereof.
8. An isolated nucleic acid molecule comprising the nucleic acid molecule of any one of claims 1, 2, 5, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, or 41 operatively linked to a nucleotide sequence encoding a heterologous polypeptide, wherein said isolated nucleic acid molecule encodes a fusion polypeptide.
9. A vector comprising the nucleic acid molecule of any one of claims 1, 2, 5, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, or 41.
10. The vector of claim 9, which is an expression vector.
11. A recombinant host cell comprising the nucleic acid molecule of any one of claims 1, 2, 5, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, or 41 operatively linked to a recombinant regulatory sequence.
12. A method of producing a polypeptide comprising culturing the host cell of claim 11 under suitable conditions to, thereby, produce the polypeptide.

U.S. Serial No.: 09/174,557

-15-

Group Art Unit: 1653

27. An isolated nucleic acid molecule comprising the nucleotide sequence set forth in SEQ ID NO:3 or a complement thereof.

28. An isolated nucleic acid molecule comprising the nucleotide sequence set forth in SEQ ID NO:4 or a complement thereof.

29. An isolated nucleic acid molecule comprising the nucleotide sequence set forth in SEQ ID NO:6 or a complement thereof.

30. An isolated nucleic acid molecule comprising the nucleotide sequence set forth in SEQ ID NO:7 or a complement thereof.

31. An isolated nucleic acid molecule comprising the nucleotide sequence set forth in SEQ ID NO:9 or a complement thereof.

32. An isolated nucleic acid molecule comprising a nucleotide sequence which encodes a polypeptide comprising the amino acid sequence set forth in SEQ ID NO: 5, or a complement thereof.

33. An isolated nucleic acid molecule comprising a nucleotide sequence which encodes a polypeptide comprising the amino acid sequence set forth in SEQ ID NO: 8, or a complement thereof.

34. An isolated nucleic acid molecule comprising a nucleotide sequence which encodes a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence set forth in SEQ ID NO:5, wherein the nucleic acid molecule hybridizes to a nucleic acid molecule consisting of SEQ ID NO:4 or 6 in 6X SSC at 45° C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 50-65° C.

35. An isolated nucleic acid molecule comprising a nucleotide sequence which encodes a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence set forth in SEQ ID NO:8, wherein the nucleic acid molecule hybridizes to a nucleic acid molecule consisting of SEQ ID NO:7 or 9 in 6X SSC at 45° C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 50-65° C.


**BEFORE THE OFFICE OF ENROLLMENT AND DISCIPLINE  
UNITED STATE PATENT AND TRADEMARK OFFICE**

**LIMITED RECOGNITION UNDER 37 CFR § 10.9(b)**

Maria C. Laccotripe Zacharakis is hereby given limited recognition under 37 CFR §10.9(b) as an employee of Lahive & Cockfield, LLP, to prepare and prosecute patent applications where the patent applicant is the client of Lahive & Cockfield, LLP, and the attorney or agent of record in the applications is a registered practitioner who is a member of the Lahive & Cockfield, LLP. This limited recognition shall expire on the date appearing below, or when whichever of the following events first occurs prior to the date appearing below: (i) Maria C. Laccotripe Zacharakis ceases to lawfully reside in the United States, (ii) Maria C. Laccotripe Zacharakis' employment with Lahive & Cockfield, LLP ceases or is terminated, or (iii) Maria C. Laccotripe Zacharakis ceases to remain or reside in the United States on an H-1 visa.

This document constitutes proof of such recognition. The original of this document is on file in the Office of Enrollment and Discipline of the U.S. Patent and Trademark Office.

**Expires: August 5, 2003**

  
Harry I. Moatz  
Director of Enrollment and Discipline